Cordless Universal Grinder
Chameleon CX

NO. 26000

ROKAMAT
easy working



Cordless grinding, wallpaper stripping, smoothing, cleaning, polishing – all with *one* machine

- Light weight due to separation of tool and motor
- ROKAMAT is partner of **CAS**: *One* battery for over 40 brands
- Smooth operation thanks to contra-rotating tool discs
- Large operating surface (2x Ø 7.87in)
- Continuous speed control to optimise each different application
- Dust-free working in combination with our special vacuum cleaners

Technical Data

No load speed	120 – 400 r.p.m.
Battery voltage / capacity	18 V / 5.2 Ah (Li-Ion)
Weight	Handtool approx. 5lbs Motor approx. 5lbs

Scope of supply

2 Battery packs 18 V / 5.2 Ah, Fast battery charger ASC 145, Supporting plates Ø 7.87in, Emery grain 16 (4 pcs.), strap, in case

Accessories Chameleon CX


Ø 7.87in


1



2



3


4


5


6


7


8

Cleaning

	Unit	No.	Fig.
Steel brushes, fine	2	21200	–
Steel brushes, medium	2	21300	1
Steel brushes, coarse	2	21400	–
Special steel brushes, medium	2	23000	–
Special steel brushes, coarse*	2	23100	–
Nylon brushes, superfine	2	21505	–
Nylon brushes, fine	2	21500	–
Nylon brushes, coarse	2	21600	2
Steel / nylon brushes	2	22500	–

· Cleaning and waxing formwork units
· Removing old, loose plaster, render and paint
· Cleaning and preparing plaster for new coverings
· Cleaning exterior facades of moss and algae
*Perfect for removing ivy from facades

Cleaning and polishing

All pads to use with the supporting plates No. 20700

	Unit	No.	Fig.
Cleaning pad, coarse	2	23500	–
Cleaning pad, medium	2	23400	3
Cleaning pad, fine	2	23900	–
Polishing pad, very fine	2	23300	–
Lambskin pad, superfine	2	23600	4

· Cleaning formwork, exposed concrete, buildings and facades, polishing “marble effect” or parquet.

Scratching

	Unit	No.	Fig.
Scratching discs “longlife”	2	20100	5

· For scratching sgraffito. Large working surface ensures both safe and flat working with the nailplates (use with guide rails no. 22210 recommended).

Smoothing

	Unit	No.	Fig.
Smoothing attachments*	2	21700	6
*to use with Base plates	2	25000	–

· Smoothing plates for abrading render and plaster after setting (Use with Guide Rails (item no. 22210) recommended).

For aggressive grinding

	Unit	No.	Fig.
Metal abrasive discs, fine	2	22405	–
Metal abrasive discs, medium	2	23205	7
Metal abrasive discs, coarse	2	22905	–


· For grinding timber, brick, screed, carpet residue, fibreglass, gas concrete and many other materials.

Supporting plates


	Unit	No.	Fig.
Supporting plates with velcro	2	20700	8


· For mounting sanding discs, grinding grids, metal abrasive discs, cleaning and polishing pads.



Cleaning formwork units


Removing old paint


Aggressive grinding with metal abrasive discs



1


2


3




4



5


6


7

Accessories Chameleon CX

Ø 7.87in

Flattening concrete

	Unit	No.	Fig.
Flattening plate	2	22700	1

· For flattening concrete easily and quickly. To be used before the material has taken final set (sprayed concrete).

Flattening plates with trowel blades	2	22600	2

· For hard trowelling (e. g. wet concrete inside silos)

Stripping wallpaper

	Unit	No.	Fig.
NEW! Premium package “Removing wallpaper” Perforating discs, Shaving plates, Blades Set, Guide rails	Set	22350	–
Perforating discs	2	22200	3

· Perforating wallpaper so that it can be easily soaked and stripped

NEW! Shaving discs with quick change system	2	22360	4
NEW! Blades for quick change system (6 pcs.)	1	22365	–

· For removing wallpaper, for cleaning shuttering or for other shaving work

Guide rails	2	22210	5

· Please use in combination with perforating and shaving discs

Sanding discs


	Unit	No.	Fig.
Emery grain 16 (for polystyrene)	4	20816	6
Emery grain 24	4	20824	–
Emery grain 40	6	20840	–
Emery grain 60 (for gypsum)	6	20860	–
Emery grain 80	6	20880	–
Emery grain 100	6	20810	–
Emery grain 120	6	20812	–

· Sanding discs for professional painting and varnishing
· Surface grinding: Polystyrene insulating boards or other thermal insulating systems (EIFS and ETICS), taped board joints, plaster background (1st layer of the render), roughening up polystyrene surfaces
· Removing adhesive residues (carpets)
· Cleaning shuttering pans

JÖST Superpads

	Unit	No.	Fig.
Jöst Superpad grit 40	6	28040	–
Jöst Superpad grit 60	6	28060	–
Jöst Superpad grit 80	6	28080	7
Jöst Superpad grit 120	6	28012	–
Jöst Superpad grit 180	6	28018	–
Jöst Superpad grit 220	6	28022	–


· Thanks to unique full-surface perforations and patented Velcro-type system on the rear side of the sanding medium allows: . permanent full-surface dust extraction, no clogging (keeps contact and removal at the optimum), a higher sanding capacity (up to 4 times more compared to conventional sanding media) and shorter sanding time and more effective working.


Grinding plaster


Removing wallpaper


Cleaning facades

1



2



3



Accessories Chameleon CX

Ø 7.87in

Grinding grids	Unit	No.	Fig.
Grinding grit 80	4	27080	1
Grinding grit 100	6	27010	–
Grinding grit 120	6	27012	–
Grinding grit 180	6	27018	–
Grinding grit 220	6	27022	–

· Unique full-surface perforations and patented Velcro-type system allows full-surface dust extraction (no clogging), higher sanding capacity and shorter sanding time.

Battery pack + battery charger	Unit	No.	Fig.
Battery pack Li-Ion 18 V / 5.2 Ah	1	08050	2
Fast battery charger ASC 145	1	08065	–
Premium package battery: Fast battery charger ASC 145 + Battery pack 18 V / 5.2 Ah (Li-Ion)	1	08066	–

Optional accessory	Unit	No.	Fig.
Shoulder strap	1	05100	3



Grinding EIFS and ETICS boards

CAS

Rokamat is partner of CAS (Cordless Alliance System).
More than 40 manufacturers have joined forces to make machines, battery packs and chargers 100% compatible.
The result: All machines work with *one* **CAS** battery. This not only saves time, but also money. It also protects the environment.
Further informations on www.cordless-alliance-system.com.

Master Wholesale Distributor:
WIND-LOCK
DIVERSE. TRUSTED. PROVEN.
800-872-5625 | wind-lock.com