

Showcase Your Space Not Your Access Panel

Stealth Access Panels are Glass Fiber Reinforced Gypsum (GFRG) ceiling and wall access panels that are designed to blend seamlessly into any drywall ceiling or wall where periodic access is required.

The panels consist of a surround frame with pre-drilled/spotted fastener holes and a drop-in door (for ceiling access) or a hinged door with a latching mechanism (for wall applications).

The hinged models offer 3 different styles of latching mechanisms (Lock-Latch, Touch Latch, or Keyless/Cam-Latch) depending on the ease of access desired.

Ideal for use in both New Construction and Retrofit Construction projects, Stealth Access Panels are available in Commercial or Residential models for Interior projects in a wide range of stock sizes as well as a host of special-order custom size configurations.

Residential models incorporate an energy-saving gasket seal that keeps air from passing through and keeps attic temperatures from infiltrating the living space.

Wind-lock also offers Exterior (FRP) models, talk to your Sales Rep for more information.


If you think Stealth Access Panels could benefit your next project, please contact us today at 800-872-5625 or email us at info@wind-lock.com.




Features & Benefits:

- Tapered Edge Frame
- Easily Textured & Paintable
- Lightweight
- Blends with Surrounding Drywall
- No Shrinkage
- No Cracking After Install
- New Construction or Retrofit Jobs
- Reduces Labor Costs

Commercial



Residential



Job Name: _____

Company Name: _____

Main Contact for Project: _____

Date Panels Are Needed: _____

Estimated Duration of Job: _____

Approved By: _____

COMMERCIAL PANELS

New Part Code	Door/Access Opening (in)	Rough/Frame Opening (in)	Description	Door/Access Corner Style	Stock Status/Notes	QTY to Order
AP-DR0909	9x9	15x15	Standard, Drop in	Radius	Standard Stock	
AP-DR1212	12x12	18x18	Standard, Drop in	Radius	Standard Stock	
AP-DR1616	16x16	22x22	Standard, Drop in	Radius	Standard Stock	
AP-DR1818	18x18	24x24	Standard, Drop in	Radius	Standard Stock	
AP-DR2424	24x24	30x30	Standard, Drop in	Radius	Standard Stock	
AP-DR3636	36x36	42x42	Standard, Drop in	Radius	Standard Stock (Supplies Limited)	
AP-DS0909	9x9	15x15	Standard, Drop in	Square	Special Order Item	
AP-DS1212	12x12	18x18	Standard, Drop in	Square	Special Order Item	
AP-DS1616	16x16	22x22	Standard, Drop in	Square	Special Order Item	
AP-DS1818	18x18	24x24	Standard, Drop in	Square	Special Order Item	
AP-DS2424	24x24	30x30	Standard, Drop in	Square	Special Order Item	


RESIDENTIAL PANELS

Wind-lock Part Code	Door/Access Opening (in)	Rough/Frame Opening (in)	Description	Door/Access Corner Style	Stock Status/Notes	QTY to Order
AP-DR2230	21.5x30	24x36	Residential (includes gasket)	Radius	Standard Stock Item	
AP-DR3030	30x30	36x36	Residential (includes gasket)	Radius	Standard Stock Item	


****Additional Cut Sheets with the specific panel demensions listed above available upon request****

****For LEED information please contact your Wind-lock Sales Representative****


Key-Latch



Touch Latch



Keyless-Latch



Job Name: _____

Company Name: _____

Main Contact for Project: _____

Date Panels Are Needed: _____

Estimated Duration of Job: _____

Approved By: _____

HINGED: KEY-LATCH

New Part Code	Door/Access Opening (inches)	Rough/Frame Opening (inches)	Description	Door/Access Corner Style	Stock Status/Notes	QTY to Order
AP-HRK0909	9x9	15x15	Standard, Hinged	Radius	Standard Stock	
AP-HRK1212	12x12	18x18	Standard, Hinged	Radius	Standard Stock	
AP-HRK1616	16x16	22x22	Standard, Hinged	Radius	Standard Stock	
AP-HRK1818	18x18	24x24	Standard, Hinged	Radius	Standard Stock	
AP-HRK2424	24x24	30x30	Standard, Hinged	Radius	Standard Stock	

HINGED: TOUCH LATCH

New Part Code	Door/Access Opening (inches)	Rough/Frame Opening (inches)	Description	Door/Access Corner Style	Stock Status/Notes	QTY to Order
AP-HRT0909	9x9	15x15	Standard, Hinged	Radius	Special Order Item	
AP-HRT1212	12x12	18x18	Standard, Hinged	Radius	Special Order Item	
AP-HRT1616	16x16	22x22	Standard, Hinged	Radius	Special Order Item	
AP-HRT1818	18x18	24x24	Standard, Hinged	Radius	Special Order Item	
AP-HRT2424	24x24	30x30	Standard, Hinged	Radius	Special Order Item	


HINGED: KEYLESS-LATCH (No Lock)

New Part Code	Door/Access Opening (inches)	Rough/Frame Opening (inches)	Description	Door/Access Corner Style	Stock Status/Notes	QTY to Order
AP-HRC0909	9x9	15x15	Standard, Hinged	Radius	Special Order Item	
AP-HRC1212	12x12	18x18	Standard, Hinged	Radius	Special Order Item	
AP-HRC1616	16x16	22x22	Standard, Hinged	Radius	Special Order Item	
AP-HRC1818	18x18	24x24	Standard, Hinged	Radius	Special Order Item	
AP-HRC2424	24x24	30x30	Standard, Hinged	Radius	Special Order Item	


****Additional Cut Sheets with the specific panel dimensions listed above available upon request****

****For LEED information please contact your Wind-lock Sales Representative****


Touch Latch



Key-Latch



Keyless-Latch



Job Name: _____

Company Name: _____

Main Contact for Project: _____

Date Panels Are Needed: _____

Estimated Duration of Job: _____

Approved By: _____

****PLEASE NOTE: LEAD-TIME & PRICING SUBJECT TO MOLD CREATION (IF NECESSARY) AND CAN VARY BY SIZE, STYLE, QUANTITY AND DESIRED DELIVERY DESTINATION****

CUSTOM DROP-IN/CEILING PANELS

Door/Access Opening (inches, Ax B)	Door/Access Corner Style (Radius or Square)	QTY to Order

CUSTOM HINGED PANELS: TOUCH LATCH

Door/Access Opening (inches, Ax B)	Door/Access Corner Style (Radius or Square)	QTY to Order

CUSTOM HINGED PANELS: KEY-LATCH

Door/Access Opening (inches, Ax B)	Door/Access Corner Style (Radius or Square)	QTY to Order

CUSTOM HINGED PANELS: KEYLESS-LATCH (No Lock)

Door/Access Opening (inches, Ax B)	Door/Access Corner Style (Radius or Square)	QTY to Order

****Custom Molds are good for up to 6 months from the date they are produced; any mold older than 6 months may be subject to a second charge for the creation of a new mold****

****Additional Cut Sheets with the specific panel dimensions listed above available upon request****

****For LEED information please contact your Wind-lock Sales Representative****

Installing the Stealth Access Panel Frame:



1. Frame out location of the panel.



2. Affix panel frame by screwing it into ceiling frame using pre-marked divots.



3. Hang drywall around the panel frame.

Finishing After Drywall Installation:



1. Apply drywall mud base, covering seams and screws.



2. Apply drywall tape, also covering seams and screws.



3. Smooth drywall tape and compound with a taping knife.



4. Apply second layer of mud and smooth with a taping knife.



5. Once dry, smooth tape joints and install your panel door.